

A satellite-style map of Latin America, showing the continent's outline and some internal borders, set against a dark blue background. The map is centered and occupies most of the frame.

**Wireless Networking in Latin America:  
15 years of experiences  
Abdus Salam ICTP**

**School on Radio Based Computer Networking for Research and  
Training in Developing Countries  
7 February – 4 March 2005**

**Ermanno Pietrosevoli**

**Latin American Networking School**

**[www.eslared.org.ve](http://www.eslared.org.ve)**

**Universidad de los Andes**

**Mérida- Venezuela**

**[ermanno@ula.ve](mailto:ermanno@ula.ve)**

# Agenda

- Motivation
- Background
- Wireless Computer Networks
- Training activities
- Broadband Licensed Wireless
- Unlicensed 2.4 GHz Networks in Mérida: RedUla and Fundacite
- Point to Point 5.8 GHz
- Mesh Networks

# Motivation

- The university buildings at Universidad de los Andes are dispersed all over the town
- In 1990, ULA had 40000 students, a computer center, but no network
- Strong need to improve the communications both inside the university and to the outside world
- The only fiber optic deployed in the country was in a few basic industries

# Background

- Very limited resources, both financial and human
- 700 km by mountain road to the capital
- Telephone communication out of Mérida by terrestrial analog microwave only
- Low teledensity, no cell phones
- Experience with radio ham technologies for voice and packet radio

# Background

- In 1987 first trials with packet radios using a TNC (Terminal Node Controller) to connect a PC to a Ham radio at 300 Bauds in the HF bands. At VHF (2 m) the more stable propagation conditions allowed for transmission at 1200 Bauds later the same year.
- In 1988 a VHF link between Merida and Caracas was established by means of 3 repeating stations (Digipeaters), one leg was 400 km between a 4200 m amsl station in Pico del Aguila and El Junquito.
- In 1989 a gateway between the VHF and HF bands was established linking Venezuela with the outside world

# Background

- In 1991 the first Internet connection with packet radio at 1200 bit/s in the VHF band was accomplished, later increased at 9600 bit/s.
- By migrating to the UHF band, where the channel width allowed for radio ham use is 100 kHz, we were able to achieve transmission speeds of 19.2 kbit/s and later 56 kbit/s

# Background

- Faced with the need to deploy a computer network, we concluded that despite our big technical hurdles the main obstacle was the lack of trained people
- Established a pilot computer network with two LANs connected by modems
- Started training a group of enthusiastic students in Unix, TCP/IP, and basic networking techniques
- Realized that we did not have the means to provide advanced training

# Background

- The International Centre for Theoretical Physics in Trieste organized in 1990 the First International School on Computer Networks, which was attended by a member of our group
- Upon his return Prof. Luis Nunez suggested that we did something similar in our institution, counting on the fact that the need of training in the whole region would help us getting outside resources

# Background

- We decided that I would dedicate my upcoming Sabbatical Leave to prepare the Latin American Networking School, Escuela Latinoamericana de Redes, EsLaRed'92
- The time I was going to spend at Bellcore in New Jersey was cut short to make room for a stint at SuraNet in College Park, Maryland, working with Dr. Glenn Ricart and then moving to the ICTP to work on the preparation of the Second Computer Networks School, held in 1992

# Background

- With this experience, and the contacts acquired we organized EsLaRed'92 during 3 weeks in November 1992
- 45 participants from 10 countries were trained in hands-on techniques in computer networks by 15 Instructors from Europe and the Americas
- The Organization of American States provided the seminal financial support through Saul Hahn's Red Hemisférica Universitaria, which prompted several other institutions to chip-in.

# Background

- The infrastructure prepared for EsLaRed'92 left us with an improved network, connected to the Internet by an UUCP phone call made daily to Caracas, and a group of well trained people
- The participants suggested that we made EsLaRed a biannual event, with Mérida as the permanent venue, thanks to its favorable environment
- One of the techniques covered in our lab sessions was wireless data transmission, of paramount importance in places with low teledensity and difficult terrain

# Wireless Computer Networks

- Packet Radio in HF, VHF and UHF
  - Low speed (up to 56 kbps),
  - Good range (up to 400 km)
- Spread Spectrum transmission in the ISM bands (915, 2400 and 5800 MHz)
  - Speed up to 54 Mbps
  - Ranges of up to 65 km

# Wireless Computer Networks

The university network, RedUla, made good use of these technologies and in 1995 during a visit to ICTP I proposed this solution to the communication needs of the university of ILE-IFE in Nigeria. The Computer Center LAN there was thus connected by 915 MHz Spread Spectrum links to the Physical Sciences building and the Technology building

# Evolution

1992

- We were not able to held EsLaRed in 1994, but we managed to organize it in 1995, 1997, 1999, 2001, 2003 and the 2005 edition will be held in July
- Our training efforts where recognized by the Internet Society, that had been holding training workshops in English since 1992, later augmented with a French version

# Latin American Training ★ Workshop

- ISOC sponsored WALC'98 in Rio de Janeiro, with local support provided by the Universidade Federal de Rio, where the Spanish and Portuguese training was organized by EsLaRed
- WALC'99 merged with EsLaRed'99 in Mérida
- WALC'2000 was held at Universidad ★ Autónoma in Mexico City
- WALC'2001 merged with EsLaRed'2001 in Mérida



# Latin American Training Workshop

- WALC'2002 was held in Santo Domingo, Dominican Republic
- WALC'2003 merged with 6<sup>th</sup> EsLaRed in Mérida from October 20 to 24
- On January 2004 the UNESCO-ULA-Cisco computer networking chair was inaugurated with EsLaRed in charge of training activities
- WALC'2004 was held in Cuzco, Peru

# RedUla


Meanwhile, the momentum gathered by the training activities helped securing resources for our university network that led us to:

- Establishing the first Fiber Optic links with multimode fiber in 1992
- Installing a Satellite connection to the Internet
- Building the first monomode Fiber WAN that spans our city with a 100 Mbps TDM
- Deploying the first ATM network in an academic institution in Venezuela
- Installing Gigabit Ethernet over 50 km of SM fiber


# University Network: RedULA

-50 Kilometers Gigabit Ethernet SM fiber

49 clients nodes 2.4 GHz  
7 clients nodes 915 GHz



Hechicera



Redula, Base Station La Aguada



# RETIEM

- Our efforts to wire the city were joined by Fundacite Mérida, a government organization that provided support for a wireless network to span the state of Mérida
- The first links used packet radio techniques at 19.2 kbps, but the advent of the web made mandatory the quest for faster technologies
- We thus deployed a spread spectrum network at 2.4 GHz, installing a base station in a 3450 m mountain overlooking the city and surrounding

# RETIEM


While looking at the alternatives for building a robust wireless backbone, in July 1997 I visited a small startup, Spike Technologies, that had an experimental broadband network in Nashua, New Hampshire. By using MMDS frequencies, they were able to provide full duplex 10 Mps on a pair of 6 MHz wide channels. But the real innovation was a special patented base station multiselector antenna that allows for up to 24 sectors with only 3 frequencies pairs. A deal was arranged to install a base station in Mérida and a 90 km broadband backbone to reach the town of Tovar

# Broadband Delivery System

- Sectored antenna
- Frequency Reusability
- Long Range, 50 km
- High Throughput, 10 Mbit/s, Full Duplex
- Upgradable
- Standards based

# Broadband Delivery System

## THE SECTORED APPROACH




- PRIZM BDS utilizes a patented, sectored single aperture that allows spectral reuse of two channel pairs
- Spectral efficiency of this model results in a ratio of 11:1

Repeater Site, 40 km away

Base Station with multisector antenna at 3450 m altitude overlooking the city of Mérida, which lies at 1600 m.


Eleven Sectors, 15 degrees, 20 dBi each  
Three frequency pairs, 2.1- 2.4 GHz

Installed in 1997




# Radiation Pattern:

File # 1139 8/25/99





Spike Sub with 2 antennas




# Active REPEATER

- Due to the rugged topography, repetitions points where required to serve neighboring villages
- We found a suitable repetition point at 40 km from the base station, that allowed the extension of the coverage to further 41 km



# Frequency Plan





# RETIEM

- Currently 150 remote stations provide broadband connectivity to schools, health centers, libraries, community centers and government institutions

CMP

June 5, 1998

Ermanno Pietrosevoli

Director of Engineering

FUNDEM      Universidad de los Andes Merida, Venezuela

Dear SUPERQuest Award Winner:

Congratulations !

I am pleased and honored to inform you that your company has been cited as a SUPERQuest Winner in the first annual SUPERQuest awards program.

The panel of judges has chosen FUNDEM in Category 8 - Remote Access as the best in that particular field of nominees.

I speak for the entire panel of judges when I say that your company has made a real contribution to the advancement of communications technology.

# Supercomm '98 Atlanta Georgia, USA


During this event, **RETIEM** was awarded the best network prize in the category of **Remote Access**, while **Third Rail Technologies**, a **Spike Technologies** subsidiary that uses the same technology got the **Local Access** prize.

A satellite-style map of South America is shown in the background. Red stars are placed on the map to indicate the locations of licensed system installations. One star is in the north (Venezuela), a cluster of nine stars is in the west (Peru), one star is in the north-central region (Trinidad), and one star is in the south (Venezuela).


# Other installs of licensed systems

- 1999 Caracas, Venezuela
- 2000 Argentina (9 cities), Mexico, Peru (Lima), Trinidad and Nicaragua (Managua)
- 2001 Maracaibo, Venezuela

# Merida Fundacite Network 2.4 GHz DSS




<http://proxy.funmrd.gov.ve/trafico/>  
Pietrosemoli



# Wireless Roof

Spike




Fdcte DSSS

RedUla

Packet Radio





**Mérida Atmospheric  
Research Station (MARS)**  
Joint Venezuelan-German  
project:  
5.8 GHz, 16 km link  
Pico Espejo. 4765 m  
to Hechicera 1800 m



A webcam is at Pico Espejo pointed towards Pico Bolivar (5000 m altitude) and can be seen at:

<http://www-imk.fzk.de/imk2/mira/home.html>

with the details of this research project



# Mesh Networks

Mesh Networks, also known as *ad hoc* networks, are those in which each node supplies connectivity to adjacent nodes.

They originated in the military, but have found civilian applications for their ability to overcome some of the hurdles of traditional wireless deployments, like the need for LOS from every client to the corresponding base station and the interference arising when several networks share the same geographical area. They allow for a more robust system providing alternative path to a given station, while offering the promise of *increasing* the available bandwidth as the number of users increases.


Mesh networks three key advantages include robustness, higher bandwidth, and spatial reuse

# Mesh Networking: How Does It Work?

Co-operation between multiple radios using existing standards


- Nodes leverage neighbors to route messages across multiple hops
- **IEEE 802.11 MAC**
  - Implemented today with standard 802.11 MAC
  - MAC tuning to improve performance
- **Mesh Routing to select network paths**
  - Several routing protocols standardized by IETF
    - Dynamic Source Routing (DSR)
    - Optimized Link State Routing (OLSR)
    - Ad-Hoc On Demand Distance Vector (AODV)
  - Can be implemented in Layer 2 or 3


# Example Mesh Routing Protocol: Ad-hoc On-demand Distance Vector Routing (AODV)



# Trial Mesh Network in Merida

Red Teleinformática de Ciencia, Tecnología e Innovación del Estado Mérida (RETICyT)





Centro de Investigaciones de Astronomia CIDA

Fundacite Edif Administrativo

Acceso a Internet

Mesh 2

Mesh 4

Switch

Mesh 1

Sector La Hechicera

Fundacite NODO

Monitoring Station

Parque

Mesh 3

Edificio General Masini

<http://150.187.25.45:8383>

Centro de la Ciudad

# Conclusions

- We succeeded in turning the region lack of trained personnel into an opportunity
- By focusing on manageable projects within the framework of a long term plan we were able to overcome budget limitations
- Team work was essential to accomplish our goals, and helped securing international support

# urls

[www.third-rail.net](http://www.third-rail.net)

[www.isoc.org](http://www.isoc.org)

[www.eslared.org.ve](http://www.eslared.org.ve)

[www.ula.ve](http://www.ula.ve)

[www-imk.fzk.de/imk2/mira/home.html](http://www-imk.fzk.de/imk2/mira/home.html)

[wireless.ictp.trieste.it](http://wireless.ictp.trieste.it)