White Space analyzer

Measurements carried out with RFTrack (http://wireless.ictp.it/tvws/rftrack/) over the specified frequency range and antenna.
Remember that most TV signals are vertically polarized.
The received signal level measured in dBm is dependent on the antenna gain and orientation.

Campaign measurements info



Info	Value
Campaign date:	2019-09-20
Campaign duration:	0:00:21 (hour:min:sec)
Route length:	0.0 Km
N. points:	15
Country:	no info
Country Code:	ZA
Place of measurement:	Clovelly
Region:	no info
Population:	0

Spectrum Maps

The first image shows power levels over time (number of measurements), the following images show different thresholds of spectrum occupancy.




Percentage of Measurements below -85 dBm
100
80
60
40
20
0
300
400
500
600
700
800
900
Frequency (MHz)


Percentage of Measurements below -90 dBm
100
80
60
40
20
0
300
400
500
600
700
800
900
Frequency (MHz)


Percentage of Measurements below -95 dBm
0
10
20
30
40
50
60
70
80
90
300
400
500
600
700
800
900
Frequency (MHz)


Percentage of Measurements below -100 dBm
0
1
2
3
4
5
6
300
400
500
600
700
800
900
Frequency (MHz)


Percentage of measurements below threshold value
0
20
40
60
80
100
2
4
6
8
10
12
14
Measures



Sponsor

The project was supported by the Shuttleworth Foundation (https://www.shuttleworthfoundation.org/)

SHUTTLEWORTH FUNDED

Copyright © 2015

Wireless T/ICT4D Lab (http://wireless.ictp.it)
Marco Rainone - SolviTech (https://www.linkedin.com/in/marcorainone)